



Micro Quality Labs, Inc.

Specializing in Pharmaceutical, Dietary Supplements, Toys and Cosmetics Testing
3125 N. Damon Way • Burbank, California 91505
(818) 845-0070 • Fax: (818) 845-0030
E-Mail: Karine@MicroQualityLabs.com



Customer: Earths Pharma
Address: 31566 Railroad Canyon Rd Ste 2 PMB #1
Canyon Lake, CA 92587

ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS

Sample Name: MITRAGYNA (KRATOM)
Product Code: #0137
Batch/Lot: MAY 21ST 2019
MQL Accession: 190523-0093

PO#: N/A
Sample Description: RAW
Rush: 24HR
Received Date: 05/23/19


Test Requested:	Test Method:	Specification:	Results:
Lead	MQLTM-0278 BY ICP-MS	N/A	0.216 ppm
Arsenic	MQLTM-0278 BY ICP-MS	N/A	0.163 ppm
Cadmium	MQLTM-0278 BY ICP-MS	N/A	0.013 ppm
Mercury	MQLTM-0278 BY ICP-MS	N/A	0.039 ppm

Prepared By: 

Lia Kechichian/Document Control Specialist

MAY 24 2019

05/24/19

Reviewed By: 

Raffie Avakian/Quality Assurance Reviewer

MAY 24 2019

05/24/19

Micro Quality Laboratories, Inc. (MQL), is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. MQL's scope of accreditation may be found on A2LA or MQL websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Micro Quality Labs to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Micro Quality Labs, Inc. nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Micro Quality Labs, Inc. Failure to comply will result in immediate legal action by Micro Quality Labs, Inc.